# NCA980 0

## MATERIAL SAFETY DATA SHEET

Sales Order: {SalesOrd}

# CEILCOTE ACCELERATOR LOW TEMPERATURE CURE

International Paint LLC

X.International.

6001 Antoine Drive

Houston, Texas 77091

MSDS Revision No:

(800) 589-1267

(800) 631-7481

(Non-Emergency)
International Paint
Interlux

## 1. GENERAL INFORMATION

Product Identity: CEILCOTE ACCELERATOR LOW TEMPERATURE CURE

Bulk Sales Reference No: NCA980

IMPORTANT: Read this MSDS before handling or disposing of this product, and provide this information to the employee, customers, and users of this product. PLEASE NOTE THE MSDS REVISION NUMBER AT THE TOP OF THIS PAGE. If the MSDS Revision Number posted at the top of this page does not match the MSDS Revision Number on the product label, please contact Customer Service at the phone number included above for the correct MSDS. This product is covered by the OSHA Hazard Communication Standard and this document has been prepared in accordance with requirements of this standard.

**NOTICE:** OSHA hazardous chemicals are listed in Section 2 if present at 1% or more. Carcinogens and extraordinarily/special hazardous chemicals are listed in Section 2 if present at .1% or more. Additional regulatory information for specific chemical categories is included in Section 15.

#### 2. HAZARDOUS INGREDIENT INFORMATION

CAS No.	Ingredient Name & %	Source	Exposure Data	
000090-72-2		OSHA:	No Established Limit	
		ACGIH:	No Established Limit	
	TRI(DIMETHYLAMINOMETHYL)PHENO 75 – 100% by Weight	NIOSH:	No Established Limit	
		Supplier:	No Established Limit	
		OHSA, CAN:		
		iviexico:	No Established Limit	
		Brazil:	No Established Limit	
		Source	Health Data	
		NIOSH:	No Established Limit	
		Source	Carcinogen Data	
		OSHA:	Select Carcinogen: No	
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No	
		IARC:	Group 1: No; Group 2A: No; Group 2b: No; Group 3: No; Group 4: No	
CAS No.	Ingredient Name & %	Source	Exposure Data	
	Bis[(dimethylamino)methyl]phenol 10 – 25% by Weight	OSHA:	No Established Limit	
		ACGIH:	No Established Limit	
		NIOSH:	No Established Limit	
		Supplier:	No Established Limit	
		OHSA, CAN:	No Established Limit	
071074–89–0		Mexico:	No Established Limit	
		Brazil:	No Established Limit	
		Source	Health Data	
		NIOSH:	No Established Limit	
		Source	Carcinogen Data	
		OSHA:	Select Carcinogen: No	
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No	
		IARC:	Group 1: No; Group 2A: No; Group 2b: No; Group 3: No; Group 4: No	

# NCA980\_0

## 3. HAZARD IDENTIFICATION

Overview: Avoid contact with eyes, skin and clothing.

Inhalation: Harmful if inhaled. Causes nose and throat irritation.

Causes eye burns. Do not get in eyes. Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 2 of this document. Depending on the site–specific condition of use, safety glasses, chemical goggles, and/or head and face protection may be required to prevent contact. The equipment must be thouroughly cleaned, or discarded after each use.

Skin: Causes skin burns. May be harmful if absorbed through the skin.

Ingestion: Harmful if swallowed. May cause abdominal pain, nausea, vomiting, diarrhea, or drowsiness.

Chronic Effects: Contains an ingredient which can cause organ damage (See Section 2 and Section 15 for each ingredient).

HMIS Rating: Health: 3 Flammability: 1 Reactivity: 0

## 4. FIRST AID MEASURES

General:	Remove contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean or destroy contaminated shoes.
Inhalation:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.
Eyes:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.
Skin:	In case of contact, immediately flush skin with soap and plenty of water. Get medical attention immediately.
Ingestion:	If swallowed, immediately contact Poison Control Center at 1–800–854–6813. DO NOT induce vomiting unless instructed to do so by medical personnel. Never give anything by mouth to an unconscious person.

#### 5. PROTECTIVE EQUIPMENT AND CONTROL MEASURES

Respirat	tory:	Select equipment to provide protection from the ingredients listed in Section 2 of this document. Ensure fresh air entry during application and drying. If you experience eye watering, headache or dizziness or if air monitoring demonstrates dust, vapor, or mist levels are above applicable limits, wear an appropriate, properly fitted respirator (NIOSH approved) during and after application. Follow respirator manufacturer's directions for respirator use. FOR USERS OF 3M RESPIRATORY PROTECTION ONLY: For information and assistance on 3M occupational health and safety products, call OH&ESD Technical Service toll free in U.S.A. 1–800–243–4630, in Canada call 1–800–267–4414. Please do not contact these numbers regarding other manufacturer's respiratory protection products. 3M does not endorse the accuracy of the information contained in this Material Safety Data Sheet.
Eyes:		Do not get in eyes. Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 2 of this document. Depending on the site–specific condition of use, safety glasses, chemical goggles, and/or head and face protection may be required to prevent contact. The equipment must be thouroughly cleaned, or discarded after each use. Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 2 of this document. Depending on the site–specific conditions of use, safety glasses, chemical goggles, and/or head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.
Skin/Haı	ınd:	Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 2 of this document. Depending on the site–specific conditions of use, protective gloves, apron, boots, head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.
Enginee	ering Controls:	Depending on the site-specific conditions of use, provide adequate ventilation.
Other W	Vork Practices:	Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Use good personal hygiene practices. Wash hands before eating, drinking, using toilet facilities, etc.  Promptly remove soiled clothing and wash clothing thoroughly before reuse. Shower after work using plenty of soap and water

# 6. FIRE AND EXPLOSION INFORMATION

Flash Point:

F: No Established Limit9

C: 5No Established Limit

Lewer Explosive Limit (LEL):

1 (% yel in air) at Normal Atmospheric Temp and Proceure

Lower Explosive Limit (LEL): 1 (%vol in air) at Normal Atmospheric Temp and Pressure Fire and Explosion Hazards: COMBUSTIBLE MATERIAL: May burn but does not ignite in the companies of the compa

COMBUSTIBLE MATERIAL: May burn but does not ignite readily. When heated, vapors may form explosive mixtures with air. Indoors, outdoors, and low or confined areas (sewers, basements, tanks) creating a vapor explosion hazard. Contact with metals may evolve flammable hydrogen gas. Containers may explode when

# NCA980 0

	NCA980_0
Fire Fighting Procedures:	heated.  SMALL FIRES: Use dry chemical, CO2, water spray or foam. LARGE FIRES: Use dry chemical, CO2, water spray, or alcohol–resistant foam. Move containers from fire area if you can do so without risk. Runoff from fire control may cause pollution. Dike fire control water for later disposal. Do not scatter the material. Also Reference Emergency Response Guide Number: 153
	7. PHYSICAL AND CHEMICAL PROPERTIES
Physical State:	No Information Provided
pH:	ALKALINE ERROR!!!
Specific Gravity:	N/D
Boiling Point (F):	No Established Limit9 ERROR!!!
Vapor Density:	Heavier than air
VOC Content (lbs):	Refer to the Technical Data Sheet for this product.
Evaporation Rate:	Slower than ether
	8. STABILITY AND REACTIVITY DATA
General:	This product is stable and hazardous polymerization will not occur. Not sensitive to mechanical impact. Excessive heat and fumes generation can occur if improperly handled.
Incompatible Materials:	Strong oxidizing agents.
Hazardous Decompostion:	May produce hazardous fumes when heated to decomposition as in welding. Fumes may produce Carbon Dioxide and Carbon Monoxide.
	9. HANDLING AND STORAGE
Storage Temperature:	Store between 40–100F (4–38C).
Handling and Storage Precautions:	Keep away from heat, sparks and flame. Do not smoke. Extinguish all flames and pilot lights, and turn off stoves, heaters, electric motors and other sources of ignition during use and until all vapors are gone. Vapors may cause flash fire or ignite explosively. Do not get in eyes, on skin or clothing. Close container after each use. Wash thoroughly after handling.
	10. TOXICOLOGICAL DATA
General:	No additional information provided for this product. See Section 2 for chemical specific data.
	11. ECOLOGICAL DATA
General:	No additional information provided for this product. See Section 2 for chemical specific data.
	12. ACCIDENTAL RELEASE MEASURES
Spill Response Procedures:	ELIMINATE ALL IGNITION SOURCES (no smoking, flares, sparks or flames in immediate area). Do not touch or walk through spilled material. Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas. Absorb or cover with dry earth, sand, or other non-combustible material and transfer to containers. LARGE SPILLS: Dike far ahead of liquid spill to contain released material and runoff from fire control. DO NOT GET WATER INSIDE CONTAINERS.
Public Safety:	CALL CHEMTREC at (800)–424–9300 for emergency response. Isolate spill or leak area immediately for at least 25 to 50 meters (80 to 160 feet) in all directions. Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering. LARGE SPILLS: Consider initial downwind evacuation for at least 300 meters (1000 feet).  Also, Reference Emergency Response Guide Number: 153

DISPOSAL CONSIDERATION

13.

# NCA980\_0

Dispose of in accordance with local, state and federal regulations. (Also reference RCRA information in Section Waste Disposal: 15 if listed).

#### 14. TRANSPORTATION INFORMATION

DOT (Domestic	Surface Transportation)	IMO / IMDG (Ocean Transportation)		
DOT Proper Shipping Name:		IMDG Proper Shipping Name:		
AMINES, LIQUID, CORROSIVI	E, N.O.S., (CONTAINS:	AMINES, LIQUID, CORROSIVE, N.O.S., (CONTAINS:		
TRIS-2,4,6-(DIMETHYLAMING	DMETHYL) PHENOL, BIS	TRIS-2,4,6-(DIMETHYLAMINOMETHYL) PHENOL, BIS		
(DIMETHYLAMINOMETHYL)PHENOL)		(DIMETHYLAMINOMETHYL)PHENOL)		
DOT Hazard Class:	8	IMDG Hazard Class:	Class 8, No division Corrosive materials	
UN / NA Number:	UN 2735	UN Number:	UN 2735	
DOT Packing Group:	Ш	IMDG Packing Group:	III	
CERCLA/DOT RQ:	Not Applicable gal. / Not Applicable lbs.	System Reference Code	e: 237	

#### REGULATORY INFORMATION 15.

Regulatory Overview:	The regulatory data in Section 15 is not intended to be all–inclusive, only selected regulations are represented. All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory.  Note: Any chemical ingredients listed in Section 15, that do not also appear in Section 2, are contained in the product at a concentration below the applicable OSHA threshold level of 1% or 0.1%.
WHMIS Classification:	E
Regulatory List	Product Ingredients on List

DOT Marine Pollutants (10%): (No Product Ingredients

DOT Severe Marine Pollutants

EPCRA 311/312 Chemicals and

(No Product Ingredients

**EPCRA 313 Toxic Chemicals** 

Mass RTK Substances (>1%): (No Product Ingredients

Mass Extraordinarily Haz Sub

Penn RTK Substances (>1%): (No Product Ingredients

Penn Special Hazardous Substances (>.01%):

Rhode Island Hazardous Substances (>.1%):

Listed)

Listed)

Listed)

Listed)

(>.1%):

Listed)

Listed)

Listed)

Listed)

Listed)

(>.01%):

RQs (>.1%):

**EPCRA 302 Extremely** Hazardous (>.1%):

# NCA980 0

Listed) RCRA Status (>.01%): (No Product Ingredients Listed) N.J. RTK Substances (>1%): (No Product Ingredients Listed) N.J. Special Hazardous Substances (>.01%): (No Product Ingredients Listed) N.J. Env. Hazardous Substances (>.1%): (No Product Ingredients Listed) Proposition 65 - Carcinogens (>0%): (No Product Ingredients Listed) Proposition 65 - Female Repro Toxins (>0%): (No Product Ingredients Listed) Proposition 65 - Male Repro Toxins (>0%): (No Product Ingredients Listed) Proposition 65 - Developmental Toxins (>0%): (No Product Ingredients Listed)

#### 16. OTHER INFORMATION

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

## FOR PROFESSIONAL USE ONLY

IMPORTANT NOTE The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advice given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Brand names mentioned in this data sheet are trademarks of or are licensed to Akzo Nobel.

# **Head Office**

International Paint, LLC, 6001 Antoine Drive, Houston, Texas 77091. http://www.international-pc.com or http://www.international-marine.com

**End Of Document**