



SAFETY DATA SHEET

Section 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: ABC Dry Chemical Fire Extinguishant-
(Pressurized and Non-pressurized)
Other Identifiers: Multi-purpose Dry Chemical
Product Code(s): CH550, F15, F18
Model Code(s) for Extinguishers: 411, 417, 419, 423, 424, 425, 441, 443, 450,
456, 461, 464, 467, 470, 473, 476, 481, 487, 488,
491, 495, 500, 564, 567, 573, 581, 589, 592, 594,
668, 692, 713, 714, 715, 720, 756, 760, 763, 781,
790, 791, 792.
Recommended Use: Fire suppression, not for human
or animal drug use.
Manufacturer: AMEREX CORPORATION
Internet Address: www.amerex-fire.com
Address: 7595 Gadsden Highway, P.O. Box 81
Trussville, AL 35173-0081
Company Telephone: (205) 655-3271
E-mail Address: info@amerex-fire.com
Emergency Contacts: Chemtrec 1(800) 424-9300 or
(703) 527-3887
Revised: November 18, 2019

Section 2. HAZARDS IDENTIFICATION

GHS – Classification

| Health | Environmental | Physical |
|---------------------------------------|---------------|----------|
| Acute Toxicity: Category 5 | None | None |
| Skin Corrosion/Irritation: Category 3 | None | None |
| Skin Sensitization: NO | None | None |
| Eye: Category 2A | None | Warning |
| STOT –Category 3 | None | Warning |
| Carcinogen: Category None | None | None |

GHS – Label Symbol(s):



If Pressurized: Gas Under Pressure



GHS – Signal Word(s):

Warning

Other Hazards Not Resulting in Classification: Mica may contain small quantities of quartz (crystalline silica). Prolonged exposure to respirable crystalline silica dust at concentrations exceeding the occupational exposure limits may increase the risk of developing a disabling lung disease known as silicosis. IARC found limited evidence for pulmonary carcinogenicity of crystalline silica in humans. In the case of normal use of this product, exposure to silica should be nil.

The attapulgite clay used in this product has a fiber length of less than 5µm; therefore, the clay is not considered to be carcinogenic to animals or humans.

GHS – Hazard Phrases

| GHS Hazard | GHS Codes(s) | Code Phrase(s) |
|----------------|--|---|
| Physical | H229 | *- Contents under pressure; may explode if heated. |
| Health | H303 315 319 335 | May be harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. |
| Environmental | 411 | Toxic to aquatic life with long-lasting effects. |
| Precautionary: | | |
| General | P101 | If medical advice is needed, have product container or label at hand. |
| Prevention | P251 261 264 270 273 280 | Do not pierce or burn, even after use. Avoid breathing dust/fumes/gas/mist/vapours/spray. Wash exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. |
| Response | P312 321 362 391 301+312 302+352 304+340 305+351+338 342+311 332+313 337+313 | Call a doctor if you feel unwell. Specific treatment (see Section 4. First Aid Measures) Take off contaminated clothing. Collect spillage. IF SWALLOWED: Call a doctor if you feel unwell. IF ON SKIN: Wash with plenty of water. IF INHALED, remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. If experiencing respiratory symptoms: Call a doctor. If skin irritation occurs: Get medical advice/attention. If eye irritation persist get medical advice/attention. |
| Storage | 410+403 | *- Protect from sunlight. Store in well-ventilated place.. |
| Disposal | P501 | Dispose of contents through a licensed disposal company. Contaminated container should be disposed of as unused product. |

*- If under pressure

Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | EC No. | REACH Reg. No. | CAS-No. | Weight % |
|-----------------------------------|-----------|-----------------------|------------|----------|
| Mono-ammonium phosphate | 231-764-5 | 01-2119488166-29 | 7722-76-1 | 50-77 |
| Ammonium sulfate | 231-984-1 | 01-2119455044-46 | 7783-20-2 | 15-45 |
| Attapulgite clay | 601-805-5 | Not Available | 12174-11-7 | 3-8 |
| Mica-potassium aluminum silicate | 310-1276 | Not Available | 12001-26-2 | 1-3 |
| Silicone oil | 613-152-3 | Not Available | 63148-57-2 | <1 |
| methyl hydrogen polysiloxane | | | | |
| Calcium carbonate | 207-439-9 | Not Available | 1317-65-3 | <1 |
| Amorphous silica | 231-545-4 | 01-2119379499-16-0036 | 7631-86-9 | <1 |
| precipitated synthetic zeoliteghs | | | | |
| Yellow 14 pigment – diazo dye | 226-789-3 | Not Available | 5468-75-7 | <1 |

Adverse health effects and symptoms:

Irritant to the respiratory system; Irritating to eyes and skin. Symptoms may include coughing, shortness of breath, and irritation of the lungs, eyes, and skin. Ingestion, although unlikely, may cause cramps, nausea and diarrhea.

Section 4. FIRST AID MEASURES

Eye Exposure:

May cause irritation. Irrigate eyes with water and repeat until pain free. Seek medical attention if irritation develops, or if vision changes occur.

Skin Exposure:

May cause skin irritation. In case of contact, wash with plenty of soap and water. Seek medical attention if irritation persists.

Inhalation:

May cause irritation, along with coughing. If respiratory irritation or distress occurs, remove victim to fresh air. Give oxygen and artificial respiration if needed. Seek medical attention if irritation persists.

Ingestion:

Overdose symptoms may include numbness or tingling in hands or feet, uneven heart rate, paralysis, feeling faint, chest pain or heavy feeling, pain spreading to the arm or shoulder, nausea, diarrhea, sweating, general ill feeling, or seizure (convulsions). If victim is conscious and alert, give 2-3 glasses of water to drink. If conscious, do not induce vomiting. Seek immediate medical attention. Do not leave victim unattended. To prevent aspiration of swallowed product, lay victim on side with head lower than waist.

Medical conditions possibly aggravated by exposure:

Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema, or bronchitis. Skin contact may aggravate existing skin disease. Chronic overexposure may cause pneumoconiosis ("dusty lung" disease).

Section 5. FIRE-FIGHTING MEASURES

Flammable Properties:

Not flammable

Flash Point:

Not determined

Suitable Extinguishing Media:

Non-combustible. Use extinguishing media suitable for surrounding conditions.

Hazardous Combustion Products:

Carbon and sulfur oxides

Explosion Data:

Sensitivity to Mechanical Impact:

Not sensitive

Sensitivity to Static Discharge:

Not sensitive

Unusual fire/explosion hazards:

In a fire this material may decompose, releasing toxic and irritating oxides of carbon, sulfur, potassium, ammonia and nitrogen (see Section 10).

Protective Equipment and

Precautions for Firefighters:

As in any fire, wear self-contained breathing apparatus in pressure-demand, NIOSH approved or equivalent and full protective gear.

Section 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid inhalation, and contact with skin, eyes, and clothing.

Personal Protective Equipment:

Minimum - safety glasses, gloves, and a dust respirator.

Emergency Procedures:

NA

Methods for Containment:

Prevent further leakage or spillage if safe to do so.

Methods for Clean Up:

Avoid dust formation. Clean up released material using vacuum or wet sweep and shovel to minimize generation of dust. Bag and transfer to properly labeled containers. Ventilate area and wash spill site after material pickup is complete.

Environmental Precautions:

Prevent material from entering waterways.

Other:

If product is contaminated, use PPE and containment appropriate to the nature of the most toxic chemical/material in the mixture.

Section 7. HANDLING AND STORAGE

Personal Precautions:

Use appropriate PPE when handling or maintaining equipment, and wash thoroughly after handling (see Section 8).

Conditions for Safe Storage/Handling:

Keep product in original container or extinguisher. Contents may be under pressure – inspect extinguisher consistent with product labeling to ensure container integrity.

Incompatible Products:

Do not mix with other extinguishing agents, particularly potassium bicarbonate and sodium bicarbonate. Incompatible with strong oxidizing agents and strong acids. Do not store in high humidity. Do not combine with chlorine compounds.

Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| Chemical Name | OSHA PEL | ACGIH TLV | DFG MAK * | EU BLV |
|-------------------------|--|--|---|--------|
| Mono-ammonium phosphate | PNOC** Total dust, 15 mg/m ³ Respirable fraction, 5 mg/m ³ | PNOC Total dust, 10 mg/m ³ Respirable fraction, 3 mg/m ³ | PNOC Total dust, 4 mg/m ³ Respirable fraction, 1.5 mg/m ³ | NA |
| Ammonium Sulfate | PNOC** Total dust, 15 mg/m ³ Respirable fraction, 5 mg/m ³ | PNOC Total dust, 10 mg/m ³ Respirable fraction, 3 mg/m ³ | PNOC Total dust, 4 mg/m ³ Respirable fraction, 1.5 mg/m ³ | NA |
| Mica | 6 mg/m ³ | 3 mg/m ³ | NR | NA |
| Attapulgit Clay | PNOC** Total dust, 15 mg/m ³ Respirable fraction, 5 mg/m ³ | PNOC Total dust, 10 mg/m ³ Respirable fraction, 3 mg/m ³ | PNOC Total dust, 4 mg/m ³ Respirable fraction, 1.5 mg/m ³ | |
| Silicone oil | NR** | NR | NR | NA |
| Calcium carbonate | PNOC Total dust, 15 mg/m ³ Respirable fraction, 5 mg/m ³ | PNOC Total dust, 10 mg/m ³ Respirable fraction, 3 mg/m ³ | ----- | NA |
| Amorphous silica | 80 mg/m ³ % silica | 10 mg/m ³ | 4 mg/m ³ | NA |
| Yellow 14 pigment | NR | NR | NR | NA |

*German regulatory limits **PNOC = Particulates not otherwise classified (ACGIH) also known as Particulates not otherwise regulated (OSHA) *** NR = Not Regulated. All values are 8 hour time weighted average concentrations.

Engineering Controls:

Showers
Eyewash stations
Ventilation systems

Personal Protective Equipment – PPE Code E:

The need for respiratory protection is not probable during short-term exposure. PPE use during production process must be independently evaluated.



Eye/Face Protection:
Skin and Body Protection:
Respiratory Protection:

Tightly fitting safety goggles
Wear protective gloves/coveralls
If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn. Use P100 respirators for limited exposure, use air-purifying respirator (APR) with high efficiency particulate air (HEPA) filters for prolonged exposure. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current safety and health requirements. The need for respiratory protection is not likely for short-term use in well ventilated areas. Good personal hygiene practice is essential, such as avoiding food, tobacco products, or other hand-to-mouth contact when handling. Wash thoroughly after handling.

Hygiene Measures:

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|-------------------------------|---|
| Appearance: | Light yellow powder, finely divided odorless solid |
| Molecular Weight: | NH ₄ H ₂ PO ₄ : 115.03; (NH ₄) ₂ SO ₄ : 132.14 |
| Odor: | Odorless |
| Odor Threshold: | No information available |
| Decomposition Temperature °C: | 100 - 120 |

| | |
|--|---|
| Freezing Point °C: | No information available |
| Initial Boiling Point °C: | No information available |
| Physical State: | Crystalline Powder |
| pH: | Mixture approximately 4 to 5; NH ₄ H ₂ PO ₄ : 4.2 in 0.2 molar solution; (NH ₄) ₂ SO ₄ : 5.5 in 0.1 molar solution |
| Flash Point °C: | None |
| Auto-ignition Temperature °C: | None |
| Boiling Point/Range °C: | No information available |
| Melting Point/Range °C: | NH ₄ H ₂ PO ₄ : 190; (NH ₄) ₂ SO ₄ : 280 |
| Flammability: | Not Flammable |
| Flammability/Explosive Limits in Air °C: | Upper – No; Lower-No |
| Explosive Properties: | None |
| Oxidizing Properties: | None |
| Volatile Component (%vol) | Not Applicable |
| Evaporation Rate: | No information available |
| Vapor Density: | No information available |
| Vapor Pressure at 25 °C: | NH ₄ H ₂ PO ₄ : 1.41 mm/Hg; (NH ₄) ₂ SO ₄ : 2.573 kPa |
| Specific gravity at 25 °C: | NH ₄ H ₂ PO ₄ : 1.80; (NH ₄) ₂ SO ₄ : 1.77 |
| Solubility: | Coated-Not Immediately Soluble in Water |
| Partition Coefficient: | NH ₄ H ₂ PO ₄ Est: -4.11; (NH ₄) ₂ SO ₄ : Est: -0.48 |
| Viscosity: | No information available |

NOTE: NH₄H₂PO₄ – Monoammonium Phosphate; (NH₄)₂SO₄: – Ammonium Sulfate

Section 10. STABILITY AND REACTIVITY

| | |
|-------------------------------------|---|
| Stability: | Stable under recommended storage and handling conditions. |
| Reactivity: | No reactivity for these chemicals is expected.cas7722 |
| Incompatibles: | Strong alkalis (bases), magnesium, strong oxidizers, isocyanuric acids and chlorine compounds. |
| Conditions to Avoid: | Storage or handling near incompatibles. |
| Hazardous Decomposition Products: | Heat of fire may release carbon monoxide, carbon dioxide, and sulfur dioxide. Also ammonia, oxides of phosphorous and nitrogen oxides may be released during decomposition. |
| Possibility of Hazardous Reactions: | Slight |
| Hazardous Polymerization | Does not occur |

Section 11. TOXICOLOGICAL INFORMATION

| | |
|----------------------------|---|
| Likely Routes of Exposure: | Inhalation, skin, and eye contact. |
| Symptoms: | |
| Immediate: | |
| Inhalation: | Irritation, coughing. |
| Eyes: | Irritation. |
| Skin: | Irritation. |
| Delayed: | Symptoms appear to be relatively immediate |
| Acute Toxicity: | Relatively non-toxic. |
| Chronic Toxicity: | |
| Short-term Exposure: | None known. |
| Long-term Exposure: | As with all dusts, pneumoconiosis, or "dusty lung" disease, may result from chronic exposure. |

Acute Toxicity Values - Health

| Chemical Name | LD50 | | LC50 (Inhalation) |
|-------------------------|--------------------|-----------------------|-------------------|
| | Oral | Dermal | |
| Mono-ammonium phosphate | 5750 mg/kg (rat) | >7940 mg/kg (rabbit) | Not available |
| Ammonium Sulfate | 2840 mg/kg (rat) | >2000 mg/kg (rat) | >1000 mg/m3 (rat) |
| Mica | None | None | None |
| Attapulgate clay | None | None | None |
| Silicone oil | None | None | None |
| Calcium carbonate | 6450 mg/kg (rat) | 500 mg/24 hr (rabbit) | Not available |
| Amorphous silica | >5000 mg/kg (rat) | >2000 mg/kg (rabbit) | >2.2 mg/L (rat) |
| Yellow 14 pigment | >17000 mg/kg (rat) | >3000 mg/kg (rat) | >4448 mg/m3 (rat) |

| | |
|-----------------------------------|---|
| Reproductive Toxicity: | This product's ingredients are not known to have reproductive or teratogenic effects. |
| Target Organs and Effects (TOST): | Respiratory system irritant). This product is a mild irritant to epithelial tissue, (eyes, mucous membranes, skin) and may aggravate dermatitis. No information was found indicating the product causes sensitization. |

Other Toxicity Categories

| Chemical Name | Germ Cell Mutagenicity | Carcinogenicity | Reproductive | TOST Single Exp | TOST Repeated Exp | Aspiration |
|-------------------------|------------------------|-----------------|--------------|-----------------|-------------------|------------|
| Mono-ammonium phosphate | None | None | None | Cat 3 | None | None |
| Ammonium Sulfate | None | None | None | Cat 3 | None | None |
| Attapulgate clay | None | None | None | None | Kidney | None |
| Mica | None | None | None | None | None | None |
| Silicone oil | None | None | None | None | None | None |
| Calcium carbonate | None | None | None | None | None | None |
| Amorphous silica | None | None | None | None | None | None |
| Yellow 14 pigment | None | None | None | None | None | None |

Section 12. ECOLOGICAL INFORMATION

| | |
|---------------------------------------|--|
| Ecotoxicity: | Harmful effects to aquatic organisms after long-term exposure. Provides nutrient nitrogen and phosphorus to plant life. |
| Persistence/Degradability: | Degrades rapidly in humid/wet environment. |
| Probability of rapid biodegradation: | NH ₄ H ₂ PO ₄ Est: 0.693 (Rapid); (NH ₄) ₂ SO ₄ : Est: 0.684 (Rapid) |
| Anaerobic biodegradation probability: | NH ₄ H ₂ PO ₄ Est: 0.398 (Slow); (NH ₄) ₂ SO ₄ : Est: 0.398 (Slow) |
| Bioaccumulation potential: | Low. |
| Bioconcentration factor: | NH ₄ H ₂ PO ₄ : 3.16 L/kg; (NH ₄) ₂ SO ₄ : 3.16 L/kg (wet weight) (Low BCF) |
| Bioaccumulation factor: | NH ₄ H ₂ PO ₄ : 63.04 L/kg; (NH ₄) ₂ SO ₄ : 1.03 L/kg (wet weight) |
| Mobility in soil: | Slow evaporation rate; water soluble, may leach to groundwater |
| Log Koc: | NH ₄ H ₂ PO ₄ Est: -1.25; (NH ₄) ₂ SO ₄ : Est: 1.35 |
| Log Koa: | NH ₄ H ₂ PO ₄ Est: 16.72; (NH ₄) ₂ SO ₄ : Est: 20.10 |
| Log Kaw: | NH ₄ H ₂ PO ₄ Est: -20.86; (NH ₄) ₂ SO ₄ : Est: -19.62 |

NOTE: NH₄H₂PO₄ – Mono-ammonium Phosphate; (NH₄)₂SO₄: – Ammonium Sulfate

Other Adverse Ecological Effects: No other known effects at this time

Aquatic Toxicity Values – Environment – Research

| Chemical Name | Acute (LC50) | Chronic (LC50) |
|-------------------------|--------------|----------------|
| Mono-ammonium phosphate | N/A | N/A |
| Ammonium Sulfate | N/A | N/A |
| Mica | N/A | N/A |
| Attapulgate clay | N/A | N/A |
| Silicone oil | N/A | N/A |
| Calcium carbonate | N/A | N/A |
| Amorphous silica | N/A | N/A |
| Yellow 14 pigment | N/A | N/A |

Aquatic Toxicity Values – Environment – Estimates

| Chemical Name | Acute (LC50) | EC50 |
|-------------------------|--|-------------------------------|
| Mono-ammonium phosphate | 2,91e+07 mg/L Fish 96 hr; 9.4e+06 mg/l Daphnid 48 hr; | 6.70e+05 mg/L Gr. Algae 96 hr |
| Ammonium Sulfate | 2521 mg/L Fish 96 hr; 1244 mg/l Daphnid 48 hr; | 518 mg/L Gr. Algae 96 hr |
| Mica | N/A | N/A |
| Attapulgate clay | N/A | N/A |
| Silicone oil | N/A | N/A |
| Calcium carbonate | N/A | N/A |
| Amorphous silica | N/A | N/A |
| Yellow 14 pigment | N/A | N/A |

Section 13. DISPOSAL CONSIDERATIONS

| | |
|-------------------------------|--|
| Safe Handling | Use appropriate PPE when handling, and wash thoroughly after handling (see Section 8). |
| Waste Disposal Considerations | Dispose in accordance with federal, state, and local regulations. |
| Contaminated Packaging | Dispose in accordance with federal, state, and local regulations. |

NOTES:

This product is not a RCRA characteristically hazardous or listed hazardous waste. Dispose of according to state or local laws, which may be more restrictive than federal laws or regulations. Used product may be altered or contaminated, creating different disposal considerations.

Section 14. TRANSPORT INFORMATION

| | |
|--------------------------|---------------|
| UN Number: | NA |
| UN Proper Shipping Name: | NA |
| Transport Hazard Class: | NA |
| Packing Group: | NA |
| Marine Pollutant?: | NO |
| IATA | Not regulated |
| DOT | Not regulated |

NOTES:

This product is not defined as a hazardous material under U.S. Department of Transportation (DOT) 49 CFR 172, or by Transport Canada "Transportation of Dangerous Goods" regulations.

Special Precautions for Shipping:

The transportation information above covers the ABC 550 dry chemical extinguisher agent as shipped in bulk containers and not when contained in fire extinguishers or fire extinguisher systems. If shipped in a stored pressure-type fire extinguisher, and pressurized with a non-flammable, non-toxic inert expellant gas, the fire extinguisher is considered a hazardous material by the US Department of Transportation and Transport Canada. The proper shipping name shall be FIRE EXTINGUISHER and the UN designation is UN 1044. The DOT hazard class/division is LIMITED QUANTITY when pressurized to less than 241 psig and when shipped via highway or rail. UN Class 2.2. Non-Flammable Gas, when shipping via air. Packing Group – N/A

Section 15. REGULATORY INFORMATION

International Inventory Status: All ingredients are on the following inventories

| Country(ies) | Agency | Status |
|--------------------------|---------------|--------|
| United States of America | TSCA | Yes |
| Canada | DSL | Yes |
| Europe | EINECS/ELINCS | Yes |
| Australia | AICS | Yes |
| Japan | MITI | Yes |
| South Korea | KECL | Yes |

REACH Title XVII Restrictions: No information available

| Chemical Name | Dangerous Substances | Organic Solvents | Harmful Substances Whose Names Are to be Indicated on Label | Pollution Release and Transfer Registry (Class II) | Pollution Release and Transfer Registry (Class I) | Poison and Deleterious Substances Control Law |
|-------------------------|----------------------|------------------|---|--|---|---|
| Mono-ammonium Phosphate | Not Applicable | Not Applicable | Not Applicable | Not Applicable | Not Applicable | Not Applicable |
| Ammonium Sulfate | Not Applicable | Not Applicable | Not Applicable | Not Applicable | Not Applicable | Not Applicable |

| Component | ISHA – Harmful Substances Prohibited for Manufacturing, Importing, Transferring, or Supplying | ISHA – Harmful Substances Requiring Permission | Toxic Chemical Classification Listing (TCCL) – Toxic Chemicals | Toxic Release Inventory (TRI) – Group I | Toxic Release Inventory (TRI) – Group II |
|--|---|--|--|---|--|
| Mono-ammonium Phosphate 7722-76-1 | Not Applicable | Not Applicable | Not Applicable | Not Applicable | Not Applicable |
| Ammonium Sulphate 7783-20-2 | Not Applicable | Not Applicable | Not Applicable | Not Applicable | Not Applicable |
| Attapulgite clay | Not Applicable | Not Applicable | Not Applicable | Not Applicable | Not Applicable |
| Mica-potassium aluminum silicate 120001-26-2 (>2) | Not Applicable | Not Applicable | Not Applicable | Not Applicable | Not Applicable |
| Calcium carbonate 471-34-1 | Not Applicable | Not Applicable | Not Applicable | Not Applicable | Not Applicable |
| Amorphous silica 69012-64-2 | Not Applicable | Not Applicable | Not Applicable | Not Applicable | Not Applicable |
| Yellow 14 pigment 5468-75-7 | Not Applicable | Not Applicable | Not Applicable | Not Applicable | Not Applicable |

European Risk and Safety phrases:

EU Classification: XN Irritant
R Phrases: 20 Harmful by inhalation.
22 Harmful if swallowed

| | | |
|------------|----------|---|
| S Phrases: | 36/37/38 | Irritating to eyes, respiratory system, and skin. |
| | 22 | Do not breath dust. |
| | 24/25 | Avoid contact with skin and eyes |
| | 26 | In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. |
| | 36 | Wear suitable protective clothing. |
| | 37/39 | Wear suitable gloves and eye protection. |

U.S. Federal Regulatory Information:

SARA 313:

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) - This product does not contain and chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

None of the chemicals in this product are under SARA reporting requirements or have SARA threshold planning quantities (TPQs) or CERCLA reportable quantities (RQs), or are regulated under TSCA 8(d).

SARA 311/312 Hazard Categories:

| | |
|-------------------------------------|-----|
| Acute Health Hazard | Yes |
| Chronic Health Hazard | No |
| Fire Hazard | No |
| *-Sudden Release of Pressure Hazard | Yes |
| Reactive Hazard | No |

* - Only applicable if material is in a pressurized extinguisher.

Clean Water/Clean Air Acts:

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42) or Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61) and Section 112 of the Clean Air Act Amendments of 1990.

U.S. State Regulatory Information:

Chemicals in this product are covered under specific State regulations, as denoted below:

Alaska - Designated Toxic and Hazardous Substances: None

California – Permissible Exposure Limits for Chemical Contaminants: None

Florida – Substance List: Mica Dust

Illinois – Toxic Substance List: None

Kansas – Section 302/303 List: None

Massachusetts – Substance List: Mica Dust

Minnesota – List of Hazardous Substances: None

Missouri – Employer Information/Toxic Substance List: None

New Jersey – Right to Know Hazardous Substance List: None

North Dakota – List of Hazardous Chemicals, Reportable Quantities: None

Pennsylvania – Hazardous Substance List: None
Rhode Island – Hazardous Substance List: Mica Dust
Texas – Hazardous Substance List: No
West Virginia – Hazardous Substance List: None
Wisconsin – Toxic and Hazardous Substances: None

California Proposition 65: No component is listed on the California Proposition 65 list.

Other:

| | |
|-----------------------------|---|
| Mexico – Grade | No component listed |
| Canada – WHMIS Hazard Class | Ammonium Sulfate listed as not a dangerous product according to HPR classification criteria |

Section 16. OTHER INFORMATION

This SDS conforms to requirements under U.S., U.K., Canadian, Australian, and EU regulations or standards, and conforms to the proposed 2003 ANSI Z400.1 format.

| | |
|----------------|------------------------------|
| Issuing Date | 20-June-2012 |
| Revision Date | 18-November-2019; Revision A |
| Revision Notes | None |

The information herein is given in good faith but no warranty, expressed or implied, is made.