



# SAFETY DATA SHEET

## Section 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: ABC Dry Chemical Fire Extinguishant-  
(Pressurized and Non-pressurized)  
Other Identifiers: Multi-purpose Dry Chemical  
Product Code(s): CH550, F15, F18  
Model Code(s) for Extinguishers: 411, 417, 419, 423, 424, 425, 441, 443, 450,  
456, 461, 464, 467, 470, 473, 476, 481, 487, 488,  
491, 495, 500, 564, 567, 573, 581, 589, 592, 594,  
668, 692, 720, 760, 763, 781

Recommended Use: Fire suppression, not for human  
or animal drug use.

Manufacturer: AMEREX CORPORATION  
Internet Address: [www.amerex-fire.com](http://www.amerex-fire.com)  
Address: 7595 Gadsden Highway, P.O. Box 81  
Trussville, AL 35173-0081

Company Telephone: (205)655-3271  
E-mail Address: info@amerex-fire.com  
Emergency Contacts: Chemtrec 1(800) 424-9300 or  
(703) 527-3887

Revised: November 18, 2018

## Section 2. HAZARDS IDENTIFICATION

### GHS – Classification

Health	Environmental	Physical
Acute Toxicity: Category 5	None	None
Skin Corrosion/Irritation: Category 3	None	None
Skin Sensitization: NO	None	None
Eye: Category 2A	None	Warning
STOT –Category 3	None	Warning
Carcinogen: Category None	None	None

GHS – Label Symbol(s): 

If Pressurized: Gas Under Pressure

GHS – Signal Word(s): Warning

**Other Hazards Not Resulting in Classification:** Mica may contain small quantities of quartz (crystalline silica). Prolonged exposure to respirable crystalline silica dust at concentrations exceeding the occupational exposure limits may increase the risk of developing a disabling lung disease known as silicosis. IARC found limited evidence for pulmonary carcinogenicity of crystalline silica in humans. In the case of normal use of this product, exposure to silica should be nil.

The attapulgite clay used in this product has a fiber length of less than 5µm; therefore, the clay is not considered to be carcinogenic to animals or humans.

**GHS – Hazard Phrases**

GHS Hazard	GHS Codes(s)	Code Phrase(s)
Physical	H229	*- Contents under pressure; may explode if heated.
Health	H303 315 319 335	May be harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.
Environmental	411	Toxic to aquatic life with long-lasting effects.
<b>Precautionary:</b>		
General	P101	If medical advice is needed, have product container or label at hand.
Prevention	P251 261 264 270 273 280	Do not pierce or burn, even after use. Avoid breathing dust/fumes/gas/mist/vapours/spray. Wash exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.
Response	P312 321 362 391 301+312 302+352 304+340 305+351+338  342+311 332+313 337+313	Call a doctor if you feel unwell. Specific treatment (see Section 4. First Aid Measures) Take off contaminated clothing. Collect spillage. IF SWALLOWED: Call a doctor if you feel unwell. IF ON SKIN: Wash with plenty of water. IF INHALED, remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. If experiencing respiratory symptoms: Call a doctor. If skin irritation occurs: Get medical advice/attention. If eye irritation persist get medical advice/attention.
Storage	410+403	*- Protect from sunlight. Store in well-ventilated place..
Disposal	P501	Dispose of contents through a licensed disposal company. Contaminated container should be disposed of as unused product.

\*- If under pressure

### Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	EC No.	REACH Reg. No.	CAS-No.	Weight %
Mono-ammonium phosphate	231-764-5	01-2119488166-29	7722-76-1	50-77
Ammonium sulfate	231-984-1	01-2119455044-46	7783-20-2	15-45
Attapulgite clay	601-805-5	Not Available	12174-11-7	3-8
Mica-potassium aluminum silicate	310-1276	Not Available	12001-26-2	1-3
Silicone oil methyl hydrogen polysiloxane	613-152-3	Not Available	63148-57-2	<1
Calcium carbonate	207-439-9	Not Available	1317-65-3	<1
Amorphous silica precipitated synthetic zeoliteghs	231-545-4	01-2119379499-16-0036	7631-86-9	<1
Yellow 14 pigment – diazo dye	226-789-3	Not Available	5468-75-7	<1

Adverse health effects and symptoms:

Irritant to the respiratory system; Irritating to eyes and skin. Symptoms may include coughing, shortness of breath, and irritation of the lungs, eyes, and skin. Ingestion, although unlikely, may cause cramps, nausea and diarrhea.

### Section 4. FIRST AID MEASURES

Eye Exposure:

May cause irritation. Irrigate eyes with water and repeat until pain free. Seek medical attention if irritation develops, or if vision changes occur.

Skin Exposure:

May cause skin irritation. In case of contact, wash with plenty of soap and water. Seek medical attention if irritation persists.

Inhalation:

May cause irritation, along with coughing. If respiratory irritation or distress occurs, remove victim to fresh air. Give oxygen and artificial respiration if needed. Seek medical attention if irritation persists.

Ingestion:

Overdose symptoms may include numbness or tingling in hands or feet, uneven heart rate, paralysis, feeling faint, chest pain or heavy feeling, pain spreading to the arm or shoulder, nausea, diarrhea, sweating, general ill feeling, or seizure (convulsions). If victim is conscious and alert, give 2-3 glasses of water to drink. If conscious, do not induce vomiting. Seek immediate medical attention. Do not leave victim unattended. To prevent aspiration of swallowed product, lay victim on side with head lower than waist.

Medical conditions possibly aggravated by exposure:

Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema, or bronchitis. Skin contact may aggravate existing skin disease. Chronic overexposure may cause pneumoconiosis ("dusty lung" disease).

## Section 5. FIRE-FIGHTING MEASURES

Flammable Properties:

Not flammable

Flash Point:

Not determined

Suitable Extinguishing Media:

Non-combustible. Use extinguishing media suitable for surrounding conditions.

Hazardous Combustion Products:

Carbon and sulfur oxides

Explosion Data:

Sensitivity to Mechanical Impact:

Not sensitive

Sensitivity to Static Discharge:

Not sensitive

Unusual fire/explosion hazards:

In a fire this material may decompose, releasing toxic and irritating oxides of carbon, sulfur, potassium, ammonia and nitrogen (see Section 10).

Protective Equipment and

Precautions for Firefighters:

As in any fire, wear self-contained breathing apparatus in pressure-demand, NIOSH approved or equivalent and full protective gear.

## Section 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid inhalation, and contact with skin, eyes, and clothing.

Personal Protective Equipment:

Minimum - safety glasses, gloves, and a dust respirator.

Emergency Procedures:

NA

Methods for Containment:

Prevent further leakage or spillage if safe to do so.

Methods for Clean Up:

Avoid dust formation. Clean up released material using vacuum or wet sweep and shovel to minimize generation of dust. Bag and transfer to properly labeled containers. Ventilate area and wash spill site after material pickup is complete.

Environmental Precautions:

Prevent material from entering waterways.

Other:

If product is contaminated, use PPE and containment appropriate to the nature of the most toxic chemical/material in the mixture.

## Section 7. HANDLING AND STORAGE

Personal Precautions:

Use appropriate PPE when handling or maintaining equipment, and wash thoroughly after handling (see Section 8).

Conditions for Safe Storage/Handling:

Keep product in original container or extinguisher. Contents may be under pressure – inspect extinguisher consistent with product labeling to ensure container integrity.

Incompatible Products:

Do not mix with other extinguishing agents, particularly potassium bicarbonate and sodium bicarbonate. Incompatible with strong oxidizing agents and strong acids. Do not store in high humidity. Do not combine with chlorine compounds.

## Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name	OSHA PEL	ACGIH TLV	DFG MAK *	EU BLV
Mono-ammonium phosphate	PNOC** Total dust, 15 mg/m <sup>3</sup> Respirable fraction, 5 mg/m <sup>3</sup>	PNOC Total dust, 10 mg/m <sup>3</sup> Respirable fraction, 3 mg/m <sup>3</sup>	PNOC Total dust, 4 mg/m <sup>3</sup> Respirable fraction, 1.5 mg/m <sup>3</sup>	NA
Ammonium Sulfate	PNOC** Total dust, 15 mg/m <sup>3</sup> Respirable fraction, 5 mg/m <sup>3</sup>	PNOC Total dust, 10 mg/m <sup>3</sup> Respirable fraction, 3 mg/m <sup>3</sup>	PNOC Total dust, 4 mg/m <sup>3</sup> Respirable fraction, 1.5 mg/m <sup>3</sup>	NA
Mica	6 mg/m <sup>3</sup>	3 mg/m <sup>3</sup>	NR	NA
Attapulgitte Clay	PNOC** Total dust, 15 mg/m <sup>3</sup> Respirable fraction, 5 mg/m <sup>3</sup>	PNOC Total dust, 10 mg/m <sup>3</sup> Respirable fraction, 3 mg/m <sup>3</sup>	PNOC Total dust, 4 mg/m <sup>3</sup> Respirable fraction, 1.5 mg/m <sup>3</sup>	
Silicone oil	NR**	NR	NR	NA
Calcium carbonate	PNOC Total dust, 15 mg/m <sup>3</sup> Respirable fraction, 5 mg/m <sup>3</sup>	PNOC Total dust, 10 mg/m <sup>3</sup> Respirable fraction, 3 mg/m <sup>3</sup>	-----	NA
Amorphous silica	80 mg/m <sup>3</sup> % silica	10 mg/m <sup>3</sup>	4 mg/m <sup>3</sup>	NA
Yellow 14 pigment	NR	NR	NR	NA

\*German regulatory limits \*\*PNOC = Particulates not otherwise classified (ACGIH) also known as Particulates not otherwise regulated (OSHA) \*\*\* NR = Not Regulated. All values are 8 hour time weighted average concentrations.

Engineering Controls:

Showers  
Eyewash stations  
Ventilation systems

Personal Protective Equipment – PPE Code E:

The need for respiratory protection is not probable during short-term exposure. PPE use during production process must be independently evaluated.



Eye/Face Protection:  
Skin and Body Protection:  
Respiratory Protection:

Tightly fitting safety goggles  
Wear protective gloves/coveralls  
If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn. Use P100 respirators for limited exposure, use air-purifying respirator (APR) with high efficiency particulate air (HEPA) filters for prolonged exposure. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current safety and health requirements. The need for respiratory protection is not likely for short-term use in well ventilated areas. Good personal hygiene practice is essential, such as avoiding food, tobacco products, or other hand-to-mouth contact when handling. Wash thoroughly after handling.

Hygiene Measures:

**Section 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: Light yellow powder, finely divided odorless solid  
Molecular Weight:  $\text{NH}_4\text{H}_2\text{PO}_4$ : 115.03;  $(\text{NH}_4)_2\text{SO}_4$ : 132.14  
Odor: Odorless  
Odor Threshold: No information available  
Decomposition Temperature °C: 100 - 120

Freezing Point °C:	No information available
Initial Boiling Point °C:	No information available
Physical State:	Crystalline Powder
pH:	Mixture approximately 4 to 5; NH <sub>4</sub> H <sub>2</sub> PO <sub>4</sub> : 4.2 in 0.2 molar solution; (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> : 5.5 in 0.1 molar solution
Flash Point °C:	None
Auto-ignition Temperature °C:	None
Boiling Point/Range °C:	No information available
Melting Point/Range °C:	NH <sub>4</sub> H <sub>2</sub> PO <sub>4</sub> : 190; (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> : 280
Flammability:	Not Flammable
Flammability/Explosive Limits in Air °C:	Upper – No; Lower-No
Explosive Properties:	None
Oxidizing Properties:	None
Volatile Component (%vol)	Not Applicable
Evaporation Rate:	No information available
Vapor Density:	No information available
Vapor Pressure at 25 °C:	NH <sub>4</sub> H <sub>2</sub> PO <sub>4</sub> : 1.41 mm/Hg; (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> : 2.573 kPa
Specific gravity at 25 °C:	NH <sub>4</sub> H <sub>2</sub> PO <sub>4</sub> : 1.80; (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> : 1.77
Solubility:	Coated-Not Immediately Soluble in Water
Partition Coefficient:	NH <sub>4</sub> H <sub>2</sub> PO <sub>4</sub> Est: -4.11; (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> : Est: -0.48
Viscosity:	No information available

NOTE: NH<sub>4</sub>H<sub>2</sub>PO<sub>4</sub> – Monoammonium Phosphate; (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>: – Ammonium Sulfate

## Section 10. STABILITY AND REACTIVITY

Stability:	Stable under recommended storage and handling conditions.
Reactivity:	No reactivity for these chemicals is expected.
Incompatibles:	Strong alkalis (bases), magnesium, strong oxidizers, isocyanuric acids and chlorine compounds.
Conditions to Avoid:	Storage or handling near incompatibles.
Hazardous Decomposition Products:	Heat of fire may release carbon monoxide, carbon dioxide, and sulfur dioxide. Also ammonia, oxides of phosphorous and nitrogen oxides may be released during decomposition.
Possibility of Hazardous Reactions:	Slight
Hazardous Polymerization	Does not occur

## Section 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Inhalation, skin, and eye contact.
Symptoms:	
Immediate:	
Inhalation:	Irritation, coughing.
Eyes:	Irritation.
Skin:	Irritation.
Delayed:	Symptoms appear to be relatively immediate
Acute Toxicity:	Relatively non-toxic.
Chronic Toxicity:	
Short-term Exposure:	None known.
Long-term Exposure:	As with all dusts, pneumoconiosis, or “dusty lung” disease, may result from chronic exposure.

### Acute Toxicity Values - Health

Chemical Name	LD50		LC50 (Inhalation)
	Oral	Dermal	
Mono-ammonium phosphate	5750 mg/kg (rat)	>7940 mg/kg (rabbit)	Not available
Ammonium Sulfate	2840 mg/kg (rat)	>2000 mg/kg (rat)	>1000 mg/m3 (rat)
Mica	None	None	None
Attapulgate clay	None	None	None
Silicone oil	None	None	None
Calcium carbonate	6450 mg/kg (rat)	500 mg/24 hr (rabbit)	Not available
Amorphous silica	>5000 mg/kg (rat)	>2000 mg/kg (rabbit)	>2.2 mg/L (rat)
Yellow 14 pigment	>17000 mg/kg (rat)	>3000 mg/kg (rat)	>4448 mg/m3 (rat)

Reproductive Toxicity:	This product's ingredients are not known to have reproductive or teratogenic effects.
Target Organs and Effects (TOST):	Respiratory system irritant). This product is a mild irritant to epithelial tissue, (eyes, mucous membranes, skin) and may aggravate dermatitis. No information was found indicating the product causes sensitization.

### Other Toxicity Categories

Chemical Name	Germ Cell Mutagenicity	Carcinogenicity	Reproductive	TOST Single Exp	TOST Repeated Exp	Aspiration
Mono-ammonium phosphate	None	None	None	Cat 3	None	None
Ammonium Sulfate	None	None	None	Cat 3	None	None
Attapulgate clay	None	None	None	None	Kidney	None
Mica	None	None	None	None	None	None
Silicone oil	None	None	None	None	None	None
Calcium carbonate	None	None	None	None	None	None
Amorphous silica	None	None	None	None	None	None
Yellow 14 pigment	None	None	None	None	None	None



## Section 12. ECOLOGICAL INFORMATION

Ecotoxicity:	Harmful effects to aquatic organisms after long-term exposure. Provides nutrient nitrogen and phosphorus to plant life.
Persistence/Degradability:	Degrades rapidly in humid/wet environment.
Probability of rapid biodegradation:	NH <sub>4</sub> H <sub>2</sub> PO <sub>4</sub> Est: 0.693 (Rapid); (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> : Est: 0.684 (Rapid)
Anaerobic biodegradation probability:	NH <sub>4</sub> H <sub>2</sub> PO <sub>4</sub> Est: 0.398 (Slow); (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> : Est: 0.398 (Slow)
Bioaccumulation potential:	Low.
Bioconcentration factor:	NH <sub>4</sub> H <sub>2</sub> PO <sub>4</sub> : 3.16 L/kg; (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> : 3.16 L/kg (wet weight) (Low BCF)
Bioaccumulation factor:	NH <sub>4</sub> H <sub>2</sub> PO <sub>4</sub> : 63.04 L/kg; (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> : 1.03 L/kg (wet weight)
Mobility in soil:	Slow evaporation rate; water soluble, may leach to groundwater
Log Koc:	NH <sub>4</sub> H <sub>2</sub> PO <sub>4</sub> Est: -1.25; (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> : Est: 1.35
Log Koa:	NH <sub>4</sub> H <sub>2</sub> PO <sub>4</sub> Est: 16.72; (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> : Est: 20.10
Log Kaw:	NH <sub>4</sub> H <sub>2</sub> PO <sub>4</sub> Est: -20.86; (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> : Est: -19.62

NOTE: NH<sub>4</sub>H<sub>2</sub>PO<sub>4</sub> – Mono-ammonium Phosphate; (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>: – Ammonium Sulfate

Other Adverse Ecological Effects: No other known effects at this time

### Aquatic Toxicity Values – Environment – Research

Chemical Name	Acute (LC50)	Chronic (LC50)
Mono-ammonium phosphate	N/A	N/A
Ammonium Sulfate	N/A	N/A
Mica	N/A	N/A
Attapulgate clay	N/A	N/A
Silicone oil	N/A	N/A
Calcium carbonate	N/A	N/A
Amorphous silica	N/A	N/A
Yellow 14 pigment	N/A	N/A

### Aquatic Toxicity Values – Environment – Estimates

Chemical Name	Acute (LC50)	EC50
Mono-ammonium phosphate	2,91e+07 mg/L Fish 96 hr; 9.4e+06 mg/l Daphnid 48 hr;	6.70e+05 mg/L Gr. Algae 96 hr
Ammonium Sulfate	2521 mg/L Fish 96 hr; 1244 mg/l Daphnid 48 hr;	518 mg/L Gr. Algae 96 hr
Mica	N/A	N/A
Attapulgate clay	N/A	N/A
Silicone oil	N/A	N/A
Calcium carbonate	N/A	N/A
Amorphous silica	N/A	N/A
Yellow 14 pigment	N/A	N/A

## Section 13. DISPOSAL CONSIDERATIONS

Safe Handling	Use appropriate PPE when handling, and wash thoroughly after handling (see Section 8).
Waste Disposal Considerations	Dispose in accordance with federal, state, and local regulations.
Contaminated Packaging	Dispose in accordance with federal, state, and local regulations.

### NOTES:

This product is not a RCRA characteristically hazardous or listed hazardous waste. Dispose of according to state or local laws, which may be more restrictive than federal laws or regulations. Used product may be altered or contaminated, creating different disposal considerations.

## Section 14. TRANSPORT INFORMATION

UN Number:	NA
UN Proper Shipping Name:	NA
Transport Hazard Class:	NA
Packing Group:	NA
Marine Pollutant?:	NO
IATA	Not regulated
DOT	Not regulated

### NOTES:

This product is not defined as a hazardous material under U.S. Department of Transportation (DOT) 49 CFR 172, or by Transport Canada "Transportation of Dangerous Goods" regulations.

### Special Precautions for Shipping:

The transportation information above covers the ABC 550 dry chemical extinguisher agent as shipped in bulk containers and not when contained in fire extinguishers or fire extinguisher systems. If shipped in a stored pressure-type fire extinguisher, and pressurized with a non-flammable, non-toxic inert expellant gas, the fire extinguisher is considered a hazardous material by the US Department of Transportation and Transport Canada. The proper shipping name shall be FIRE EXTINGUISHER and the UN designation is UN 1044. The DOT hazard class/division is LIMITED QUANTITY when pressurized to less than 241 psig and when shipped via highway or rail. UN Class 2.2. Non-Flammable Gas, when shipping via air. Packing Group – N/A

## Section 15. REGULATORY INFORMATION

**International Inventory Status:** All ingredients are on the following inventories

Country(ies)	Agency	Status
United States of America	TSCA	Yes
Canada	DSL	Yes
Europe	EINECS/ELINCS	Yes
Australia	AICS	Yes
Japan	MITI	Yes
South Korea	KECL	Yes

**REACH Title XVII Restrictions:** No information available

Chemical Name	Dangerous Substances	Organic Solvents	Harmful Substances Whose Names Are to be Indicated on Label	Pollution Release and Transfer Registry (Class II)	Pollution Release and Transfer Registry (Class I)	Poison and Deleterious Substances Control Law
Mono-ammonium Phosphate	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Ammonium Sulfate	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Component	ISHA – Harmful Substances Prohibited for Manufacturing, Importing, Transferring, or Supplying	ISHA – Harmful Substances Requiring Permission	Toxic Chemical Classification Listing (TCCL) – Toxic Chemicals	Toxic Release Inventory (TRI) – Group I	Toxic Release Inventory (TRI) – Group II
Mono-ammonium Phosphate 7722-76-1	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Ammonium Sulphate 7783-20-2	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Attapulgite clay	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Mica-potassium aluminum silicate 120001-26-2 (>2)	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Calcium carbonate 471-34-1	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Amorphous silica 69012-64-2	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Yellow 14 pigment 5468-75-7	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

### European Risk and Safety phrases:

EU Classification: XN                      Irritant  
 R Phrases:                      20                      Harmful by inhalation.  
    22                      Harmful if swallowed

	36/37/38	Irritating to eyes, respiratory system, and skin.
S Phrases:	22	Do not breath dust.
	24/25	Avoid contact with skin and eyes
	26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	36	Wear suitable protective clothing.
	37/39	Wear suitable gloves and eye protection.

### U.S. Federal Regulatory Information:

#### **SARA 313:**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) - This product does not contain and chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

None of the chemicals in this product are under SARA reporting requirements or have SARA threshold planning quantities (TPQs) or CERCLA reportable quantities (RQs), or are regulated under TSCA 8(d).

#### **SARA 311/312 Hazard Categories:**

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
*-Sudden Release of Pressure Hazard	Yes
Reactive Hazard	No

\* - Only applicable if material is in a pressurized extinguisher.

#### Clean Water/Clean Air Acts:

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42) or Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61) and Section 112 of the Clean Air Act Amendments of 1990.

### U.S. State Regulatory Information:

Chemicals in this product are covered under specific State regulations, as denoted below:

- Alaska** - Designated Toxic and Hazardous Substances: None
- California** – Permissible Exposure Limits for Chemical Contaminants: None
- Florida** – Substance List: Mica Dust
- Illinois** – Toxic Substance List: None
- Kansas** – Section 302/303 List: None
- Massachusetts** – Substance List: Mica Dust
- Minnesota** – List of Hazardous Substances: None
- Missouri** – Employer Information/Toxic Substance List: None
- New Jersey** – Right to Know Hazardous Substance List: None
- North Dakota** – List of Hazardous Chemicals, Reportable Quantities: None

**Pennsylvania** – Hazardous Substance List: None  
**Rhode Island** – Hazardous Substance List: Mica Dust  
**Texas** – Hazardous Substance List: No  
**West Virginia** – Hazardous Substance List: None  
**Wisconsin** – Toxic and Hazardous Substances: None

California Proposition 65: No component is listed on the California Proposition 65 list.

**Other:**

Mexico – Grade	No component listed
Canada – WHMIS Hazard Class	Ammonium Sulfate listed as not a dangerous product according to HPR classification criteria

**Section 16. OTHER INFORMATION**

This SDS conforms to requirements under U.S., U.K., Canadian, Australian, and EU regulations or standards, and conforms to the proposed 2003 ANSI Z400.1 format.

Issuing Date	20-June-2012
Revision Date	18-November-2019; Revision A
Revision Notes	None

The information herein is given in good faith but no warranty, expressed or implied, is made.  
Updated by William F. Garvin, CIH.